



For Earth, For Life
Kubota

GR

KUBOTA DIESEL RIDE-ON MOWER
GR1600ID - INFINITY DECK

The new GR1600ID provides more strength and better fuel economy over petrol-powered mowers, and its combination with our revolutionary 3-in-1 mower deck deliver an outstanding cut every time.

∞ INFINITY
DECK



**Power, reliability and savings.
The hallmarks of a Kubota diesel engine.**

Amazingly, the GR1600ID's 10.1 kW diesel engine's powerful performance can compete head-to-head with a 14.9 kW petrol engine, while providing better fuel economy. To further extend your uninterrupted mowing time there is a large 18-litre fuel tank fitted. Another plus is that our diesel engine requires no special maintenance during the off-season. And finally, when you consider cost and performance, the GR1600ID delivers outstanding value for your money.

**10.1
kW**



Trailer Hitch



Easy Reach Cutting Height Adjustment Dial



HST transmission

Kubota's reputable and versatile HST transmission is easily controlled by a single foot pedal and produces a maximum travel speed of 10 km/h.



Shaft drive

Unlike the belt-drive system used in petrol mowers, our shaft-drive transmission, shaft-drive PTO, and wet-type mechanical PTO clutch are incredibly durable and trouble free.



Make lawn mowing trouble-free with the easy-to-attach and use 3-in-1 mower deck.

INFINITY DECK

Named for its distinctive counter-rotating figure-eight grass flow, the Infinity Deck's most notable benefit is its ability to quickly and easily change cutting modes without having to change


blades. The proprietary secret behind this 3-in-1 deck is its sturdy steel "gate" that slides to cover the discharge area, thus speedily turning the deck into a mulching deck.

1 Side-Discharge Mode

In this mode, the deck discharges grass evenly and efficiently through the side of the deck, utilizing two counter-rotating blades. The flow created by these blades is where the Infinity Deck gets its name.



Gate open with discharge chute



2 Mulching Mode

To change from side-discharge to mulching mode, simply slide the steel gate, conveniently located on the outside of the deck, to the front of the discharge area. This feature, along with the deck's rounded shoulders, keeps grass under the deck, ensuring the perfect mulch. No special blades, tools or optional attachments are needed.



Gate closed




3 Grass Collecting Mode

Using the optional grass collector is now easier than ever. Its innovative design makes attaching the grass collector boot simple as well; no tools required. Just use your hands to attach and detach for your occasional collecting needs.



Gate open with grass catcher attached



Visually eye-catching and easier than ever to operate.

The stylish design of the GR1600ID is emphasised by its aerodynamic bonnet, sleek headlamps and newly fashioned 3-in-1 Infinity Deck. But the beauty of its design doesn't end there. The GR1600ID is also surprisingly comfortable. Its ergonomic design features include a full-flat deck for more legroom and an Easy Checker® dash for clear and precise viewing of all the tractor's controls.



Quick Attach Light Duty Grass Collector (Optional)

For your occasional collecting needs, the optional large capacity grass collector is just right for light-duty grass and material collection. Its 250-litre bag lets you mow longer with less stopping for emptying, and its versatile design offers tool-free quick and easy attaching and detaching to save you time and trouble.



SPECIFICATIONS

Model	GR1600ID	
Engine	2 cylinder, diesel, water-cooled	
Type		
Engine gross power*	kW	10.1
Maximum operating engine speed	min ⁻¹ (rpm)	3300 to 3400
Fuel tank capacity	ℓ	18
Dimension		
Overall length	mm	1920
Overall width (w/ mower)	mm	1365
Overall height	mm	1210
Wheelbase	mm	1280
Weight (w/ mower, w/o fuel)	kg	355
Tire		
Front Tire	in.	15 x 6 - 6 Turf
Rear Tire	in.	20 x 10 - 8 Turf
Transmission	Hydrostatic transmission	
Transmission drive	Shaft drive	
Travelling speed		
Forward/Reverse	km/h	0 – 10.0/0 – 5.0
PTO clutch	Mechanical wet multi discs	
Mower deck drive	U-joint shaft	
Operator's deck	Flat	
Seat adjustment	Slide	
Fuel gauge	Std.	
Easy checker®	Std.	
Mower OPC.	Std.	
Travel OPC.	Std.	
Blade shut off brake	Built-in clutch	
Trailer Hitch	Std.	

MOWER SPECIFICATIONS

Mounting Method	Suspended parallel linkage	
Adjustment of Cutting Height	Dial gauge	
Cutting Width	in. (mm)	42 (107)
Cutting Height	in. (mm)	1.0 - 4.0 (25 to 102)
Number of Blades	2	
Direction of Discharge	Right side	

OPTIONAL GRASS COLLECTOR SPECIFICATION

No of Bags	2	
Bag Capacity	ℓ	250
Material of bag	Fabric	
Dump System	Manual	

* Manufacturer's estimate

The company reserves the right to change the above specifications without notice. Some attachments shown may not be available in the UK.

Also in the range ...

The petrol mower with Infinity Deck.

T1880



For superior grass collecting performance with Direct Chute system.

GR1600-II



For powerful cutting performance in smaller areas.

W821/R-PRO



©2015 Kubota Corporation

Kubota

KUBOTA (U.K.) LIMITED

Dormer Road Thame, Oxfordshire, OX9 3UN.

Phone (01844) 268000 Fax (08702) 429677

E-mail: kuk_g.tractors@kubota.com

Web site: <http://www.kubota.co.uk>